Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



MAR 1 1 1929 A
U.S. Department of Agriculture.

CHOICE WILD PLANTS

Collected From Their Native Haunts By

HOPEDALE NURSERIES,

J. W. Griesemer, Prop.

Our collectors cover practically the whole country. We can secure almost any native plant, if given time to locate it.

This revision of our list was made nearly a year ago. Circumstances prevented getting the necessary checking over, additions and omissions made, till now. Our former list is entirely exhausted, we were forced to take the time to do it now. We hope that it meets with your approval.

So far as possible, we have followed the "Standardized Plant Names" in our nomenclature. This will save confusion on the many names formerly used, since Standard Plant Names is the product of A. A. N. Am. Hort. Society, and practically all medicinal and governmental departments having to do with Plants. It is far more authentic than any of the many former names applied to the same plant.

We have dropped some items parasitic, and not readily transplanted; some too scarce to secure with any degree of certainty, and a few proving to be annuals. We have added many new sorts not formerly listed by us.



5 at 10 rates; 50 at 100 rates, 500 at 1,000 rates. If you want thousands or a large lot of this material, it is best to send your want list for our special quotations. If wanted out of conson requiring of the conson requirements of the conson requirements of the conson requirements of the conson requirements.

out of season, requiring crating of tops, or other expense, the cost of doing this will be added.

10 days to regular customers.

30 days to dealers, nurserymen and landscapists.

Nurserymen and bona fide dealers are entitled to special prices. Send your list of wants for quotations. Landscapists or Gardners, Superintendents etc., get their pay from their clients, and are not entitled to special prices, other than quantity discounts. This is only business ethics, and standard.

Packing done free, at prices herein, except as mentioned above.

Complaints must be made at once. We cannot allow claims after delay that might allow stock to ruin. Please report shortage, or any otehr complaint at once that it may be adjusted.

All Prices f. o. b. here, or at point of collection. Larger lots are usually sent out directly from collecting point. Saves time and cost of delivery. We Guarantee stock to be in good order when sent out, and up to grade. If anything reaching you from any of our collectors in Not Right, please notify us at once. We want to make good.

Nearly all plants go out when collected, which is usually the Best time to plant them. Send Orders Early to allow us to get scarce plants located, and collected at the best time to do it. We each profit by this. Many failures so secure plants could be avoided if we had the orders in time. Sud-





Helianthus



Vinca

den droughts, floods, frosts, excessive heat, etc., cause plants to disappear—often next to impossible to collect. Collectors are lovers of plants, but too often no business people at all! Often they are not to blame, per above. We mention this that you can bear with our disappointments better. We have them, tho we try hard to fill all orders.

MISTAKES: We make them, so do our collectors. We want to correct them, if reported at once. They are easily found then, usually. Later they are not. REPORT MISTAKES AT ONCE.

SEEDS: We are often asked to get these. Usually we can do this, if ordered BEFORE they ripen—such sorts and seasons as produce seeds but do not store them. ORDER EARLY.

DONT FORGET that our principal business is the Nursery. If interested in nursery grown stock, ask for our literature on that, or send list of items wanted.

We are members American Association Nurserymen, Ill. State Nurserymen's Assn., Am. Propagators Assn., Ill. State Hort. Society and other allied associations. This ought to be reference enough. If you want more, Hopedale National Bank, Peoria branch either Dunn's or Bradstreet's can tell you whether we are reliable and respon-

sible or not. Likely you can be referred to a neighbor who has had dealings with us. We are not afraid of investigation. Look us up.

OUR BUSINESS IN WILD PLANTS HAS GROWN BEYOND ALL EXPECTATIONS. "There's a reason."

Yours to serve, J. W. GRIESEMER, Prop.

EXPLANATION

To aid planters as much as possible in their selections, we have listed plants in 1st botanical name—the only reliable one, since common names vary with each community, 2nd, the best known common name. 3rd column, where they grow in nature, 4th, Color of blossom; 5th, when they bloom. The column at right of price columns tells where we usually secure our stock. H or Here, indicates that stock is secured here. I-Indiana; M-Mich; N. D.-North Dakota; Col-Colorado; N. Y. and N. H., Vt. etc. are standard and need no explanation. For Example: N. C. H. & M. indicates we secure this item from North Carolina, Here and Mich. A few items are listed at different prices from different locations. Usually the higher prices are cheaper, especially for northern growers.



A border of Phlox

PERENNIALS

Botanical name Common name Where it Color of Time of E Grows Flower Bloom	ach	10	100	Where Native
Achillea millefolium, Yarrow, sun-sods, white, June-July\$.10	\$.50	\$2.50	Here
Acorus calamus, Sweet Flag, bogs, yellow, June	.15	.60	3.00	$_{ m Here}$
Actaea alba, White Baneberry, shades-ravines, white, May	.20	.80	6.00	H&M
Actaea rubra, Red Baneberry, shades-ravines, white, May-June	.25	1.00	7.50	M&SD
Allium canadense, Wild Meadow Garlic, damp ground, white, July	.10	.50	2.50	$_{ m Here}$
Allium cernuum, Nodding Wild Onion, damp shade, pink, June-July	.15	.60	5.00	Here
Allium tricoccum, Wild or Wood Leek, open shade, white, June	.20	1.00	7.50	Here
Amorpha canescens, Lead Plant, open sun, violet, July	.20	1.00	7.00	Here
Anemone canadensis (pennsylvanica), White Anemone, open sun, May-July Anemone cylindrica, Thimble Weed. sun or shade, white, July-Aug	.15	.60	5.00 5.00	Here H&I
Anemone quinquefolia, Wood Anemone, part shade, May-June	.15 .10	.75 $.50$	$\frac{5.00}{4.50}$	Ind.
Anemonela thalictroides, Rue Anemone, woods, white, April, June	.15	.75	5.00	HI&M
Aplectrum hyemale, Putty Root, rich shade, yellow-purple, June	.25	2.00	15.00	H&I
Aquilegia canadensis, Wild Columbine, anywhere, yellow-red, May-July	.15	.60	4.00	HI&M
2 Yr. plants	.20	1.00	6.00	11100.11
XX Plants	.25	1.50	10.00	
Aralia racemosa, Spikenard, ravines, white, June	.20	1.25	10.00	HI&M
purple, May	.15	.65	5.00	Here
Arisaema triphyllum, Indian Turnip, open woods, green purple, May	.10	.50	4.00	Here
Aristolochia serpentaria, Virginia Snakeroot, open shade	.20	1.25	9.00	$_{ m Here}$
Artemisia serrata, Dusty Miller, snn, greenish-white. AugOct	.15	.75	4.00	Here
Asarum canadense, Wild Ginger, rich shade, violet, April-May	.10	.50	4.00	Here
Ascelepias incarnata, Swamp Milkweed, open flats, pink-lilac, July-Sept.	.20	1.00	7.00	Here
Asclepias rubra, Red Milkweed, open sun, red, July	.20	1.25	7.50	H&I
Ascelepias tuberosa, Butterfly Weed, sun-sod, yellow-red, July-Sept	.25	1.50	8.00	Here
Ascelepias verticillata, Whorled Milkweed, sun-sods, white, July-Aug	.10	.50	$\frac{3.50}{4.50}$	Here Here
Asclepias, assorted, sun-sods, Aug. Sept.		.60	4.00	Here
Aster, assorted, sun-sods, AugSept	15	.50 1.00	7.00	Here
Aster, novae anghae, New England Aster, sun-sod, purple, Jilly-Sept	.15	.50	4.00	Here
Aster, separate colors, July, November	.15	.50	4.50	Here
Baptisia australis, Blue False Indigo, open sun, June-July	.20	1.50	1100	Here
Baptisia bracteata, Bracted False Indigo, open-sun, yellow, May-June	.20	1.50	10.00	Here
Baptisia leucantha, Delicate White False Indigo, sun-sod, July	.20	1.25	8.00	$_{ m Here}$
Baptisia tinctoria, Yellow wild False Indigo, open borders, June-Sept Callirhoe triangulata, Clustered Poppy, mallow, dry, sandy soil, purple,	.20	1.25	8.00	NC
August, Sept	.15	1.00	7.00	Here
clumps	.20	1.00	5.00	Mich.
4 to 6 plant clumps	.25	2.00	10.00	
Camassia quamash, Wild Hyacinth, rich, open shade, light blue, April-May	.20	1.50	12.50	$_{ m Here}$
Campanula rotundifolia, Harebell, anywhere, blue, July-Oct	.15	1.00	7.00	W,M&I
Carex plantaginea, Plaintain Leaved Carex, rich shade, purple, April, May	.15	.60	4.00	Here
Caulophyllum talictroides. blue cohosh, ravines, white, May	.20	1.00	6.00	H&M H&NC
Chelone glabra, Turtle Head, wet places, white-purple, July-Sept	.15 .15	.80 1.00	$\frac{7.00}{5.00}$	Mich.
August-October	.10	.50	4.00	Here
Cimcifuga, racemosa, Black, Cohosh, open shade, white, June-July	.20	1.50	8.00	NC
Claytonia virginica, Spring Beauty, open shade, purple. April-June	.10	.50	3.50	Here
Clintonia borealis, Yellow Clintonia, shade, yellow, May-June	.15	.75		NC.M&I
Convallaria majalis, Lily of the Valley, part shade, white, May-June	.10	.50	3.00	Here
Coreopsis, assorted, not botanized	.15	.60	5.00	Here
Cypripedium acaule, Brown Ladyslipper, upland, May	.20	1.50		.NC&VT
Cypripedium parviflorum, small yellow lady slippers, bogs, May-July	.20	1.60	11.00	Mich.
Cypripedium pubescens, large yellow Ladyslippers, upland-hills, May	.20 .25	1.60 2.00	12.00 15.00	Mich. Mich.
the number of flowering buds they contain.				

Botanical name Common name Where it Color of Time of E Grows Flower Bloom	lach	10	100	Where Native
Delphinium tricorne, Dwarf Larkspur, sun-shade, dark blue, May-June	.10	.60	5.00	H&I
Dicentra canadensis, Squirrel Corn, shade, pinkish white, April-May	.10	.40	3.50	H&M
Dicentra cucullaria, Dutchman Breeches, deep shade, white, April-May	.15	.50	4.00	$_{ m Here}$
Dicentra eximia, Wild Bleeding Heart, Rocky places, pink, May-Sept	.20	1.00		NC
Dodecatheon meadia, Shooting Star, sun-sod, pink, May-June	.15	.75	6.00	H&I
		1.00	6.00	Here
Echinacea angustifolia, Purple Cone Flower, dry gravelly, purple, June	.15	1.00	0.00	nere
Echinacea purpurea, Garden Purple Cone Flower, rich soil, purple-crimson, June to Frost	.15	1.00	7.00	$_{ m Here}$
July, August	.15	1.00		Ind.
Equisetum hyemale-Scouring Rush, sunny places, green-yellow, May-June	.10	.60	4.50	Here
Erigenia bulbosa, Harbinger of Spring, shade, pink-white, April-May Eryngium aquaticum (yaccaefolium) Button Snake Root, sun-sod,	.10	.75	6.00	H&I
white, July	.15	.60	5.00	Here
Erythronium albidum, White Adder's Tongue Violet, shade, April-May	.10	.75	$6.50 \\ 6.50$	Here Mich.
Erythronium americanum, Yellow Adders Tongue Violet, shade, April-May Eupatorium coelestinum, Mist Flower, anywhere, blue-purple, July-Sept	.10 .15	.75 1.00	6.50	H&I
Eupatorium maculatum, Spotted Joe Pye Weed, moist places, sun. pink- purple, August-Sept.	.25	1.25	10.00	Here
Eupatorium perfoliatum, Boneset, wet places, White, July	.15	.75	6.00	Here
Eupatorium purpureum, Joe Pye Weed, open shade, purple, July-Sept Eupatorium urticaefolium, White Snake Root, open shade, fine	.20	1.00	7.50	$_{ m Here}$
white, SeptNov.	.10	.75	5.00	$_{ m Here}$
Euphorbia corollata, Flowering Spurge, open sun, white, July-Sept	.15	.80	7.00	$_{\rm Here}$
Euphorbia cyparissias, Cyprus Spurge, sun, yellow, June	.10	.40	3.00	Here
June-July	.15	1.00	6.50	Here
Gentian andrewsii, Closed Gentian, damp, sun, Blue-Pink, AugOct	.15	.75	6.001	I.Vt&NY Here
Gentian, Prairie Gentian, open sun, blue, Aug. Sept	.20 . 1 0	$\frac{1.25}{.60}$	5.00	Here
Helianthus, assorted, sun-sod, yellow, JulNov.	.15	1.00	7.00	Here
Helianthus giganteus, Tall Sun Flower, sun-sod, yellow, SeptOct	.15	1.00	7.50	Here
Helianthus mollis, Hairy Sun Flower, sun-sod, yellow, July-Sept	.15	1.25	8.00	Here
Helianthus tuberosa, Artichoke, waste, sunny places, yellow, AugOct. Hepatica acutiloba (Evergreen) deep shade, pink, April-May	.15	.75	5.00	$_{ m Here}$
1 to 2 plant clumps	.15	.40	1.75	Here
3 to 4 plant clumps	.20	.80	3.50	Here
5 to 6 plant clumps	.30	1.50	10.00	Here
7 to 10 plant clumps	.40	2.00	15.00	Here
Orange-red, June Sept	.20	1.50	8.00 6.00	Mich. Here
Houstonia caerulea, Bluets, open woods, blue, May	.10	.75		t.&Mich
Hydrastic canadensis, Golden Seal, rich shade, green-white, May	.15	1.00	5.00	Here
July-August	.10	.60	4.00	Here
Iris cristata, Crested Iris, some shade, blue, April-May	.15	1.00	6.00	NC
Iris cristata lacustris, Dwarf Lake Iris, Water edge, blue, May	.15	1.25	10.00	Mich.
Iris, German, 7 colors	.15	1.00	5.00	Nur. Nur.
Iris, Japanese, Mixed, June-July		$\frac{2.00}{.60}$	4.50	Nur.
Iris sibirica (or Spanish), blue or white, May	.15	1.00	6.00	NC
Iris verna, Dwarf Iris, hillside, shade, violet-blue, April-May	.15	1.00	6.00	NC
Iris versicolor, open lowlands, blue, May	.15	.75	4.50	Here
Isopyrum biternatum, False Rue Anemone, open woods, White, April-May	.10	.50	3.50	$_{ m Here}$
Jeffersonia diphylla, Twin Leaf, rich shade, white, May-June	.15	1.00	8.00	Ind.
Krigia virginica, Cynthia, open woods, yellow, June-July Lepachys pinnata, Gray Headed Cone Flower, yellow rays, sunny road-	.15	1.00	7.00	H&I
sides, June-September	.15	1.00	6.00	Here H&I
Lespedeza frutescens, Bush Clover, dry soil, pinkish purple, AugSept. Lespedeza procumbens, Trailing Bush Clover, dry soil, pinkish purple,	.15	.85	7.00 6.50	H&I Here
August-September Liatris scairosa, Button Blazing Star, sun, dry, purple, July-Sept	.10	.75	5.00	Here
materia sourced, server strains sour, sur, org, purpo, our, sope				

Botanical name Common name Where it Color of Time of Grows Flower Bloom	Each	10	100	Where Native
Liatris spicata, Blazing Star, open sun-moist, purple, July-August	.15	.80	6.00	$_{ m Here}$
Lilium philadelphicum, Wood or Wild Red Lily, open shade, red-yellow, June	.15	1.10	8.00	Mich.
Lilium superbum, Turks Cap Lily, meadows, yellow, June-July	20	1.75	12.00	H.0&M
Lithospermum canescens, Puccoon, open sun, yellow, May-June	.15	.80	6.00	$_{ m Here}$
Lithospermum carolinense Hairy Puccoon, open sun, yellow, May-June	.15	.75	6.00	H&I
Lobelia cardinalis, Cardinal Flower, moist, rich soil, cardinal July-Sept.	.10	.75	6.00	MNC&H
Lobelia siphilitica, Great Blue Lobelia, moist soil, blue, July-Oct	.10	.75	5.00	Here
Lycopus americanus, Water Horehound, low grounds, green-white, July-Oct. Maianthemum bifolium, Two eaved Solomon's Seal, open shade, white,		.60 .75	4.00 6.00	Ind.
May-JuneMarrubium vulgare, Horehound, waste places, white, June-Aug		.60	4.00	Here
Medeola virginica, Indian Cucumber Root, rich, damp woods, green- yellow, September	.10	.50	4.00	Mich.
Melanthium virginicum, Bunch Flower, sun-sod, white, July		.80	6.50	Here
Mentha piperita, Peppermint, low, rich soil, Wh., Ma.,	.15	.50	3.00	Here
(Ask for prices on large lots for commercial plantings) Mentha spicata, Spearmint, low, rich soil, Wh. May	.15	.50	3.00	Ind.
(Ask for prices on large lots for Commercial plantings). Mertensia virginica, Blue Bells, open shade,	.10	.00	0.00	
		old for		Here
Firsts		1.00	6.00	Here Here
Seconds(Ask for prices in large lots)	.10	.50	3.00	пеге
Mertensia virginica, Pink Blue Bells, open shade, April-May	.25	2.00	17.50	Here
Mertensia virginica, White Blue Bells, open shade, April-May		3.00		$_{ m Here}$
Monarda didyma, Oswega Tea, moist places, red, July Sept	.15	.80	6.00	Nur.
Monarda fistulosa, Pink Horsemint, sun-sod, pink, July-Sept.	.15 .10	.60 .40	$\frac{4.00}{3.00}$	Here Here
Nepeta cataria, Catnip (biennial) anywhere, white. June on		1.75	12.00	H&M
Oenothera biennis, Common Evening Primrose, (biennial) 1 yr., yellow				
June Sept.	.15	.50	4.00	H&M
Oenothera speciosa, Showy Evening Primrose, sun, white, pink, May-Aug.	.15	.75	5.00	Here
Oxalis violacea, Violet Sheep Sorrel, sun-sod, violet, May	.10 .15	.50 .80	4.00 6.00G	Here a.NC.&H
Parnassia caroliniana, Grass of Parnassus, white, June-Sept	.10	.60	5.00	Mich.
Pedicularis canadensis, Wood Betony, open shade, yellow, May	.20	1.50	10.00	Here
Pentstemon hirsutus, Hairy Beards Tongue, sun-sod, pink-white, June-July Pentstemon laevigatus, Smooth Beards Tongue, sun-sod, white, June-July	.10 .15	$\frac{.75}{1.00}$	6.00	Ind. Here
Petalostemum candidum, White Prairie Clover, sun-sod, July-Aug	.15	.75	6.00	Here
Petalostemum villosum, Purple Prairie Clover, sun-sod, July-Aug	.15	.75	6.00	Here
Phlox divaricata, Sweet William, open woods, lilac or blue, May-June				Here
Phlox glaberrima, Wild Pink Phlox, prairies, June-July				Here Here
Phlox paniculata, Garden Phlox, lavender, July-Sept. Phlox pilosa, Prairia Phlox, red, May-June				Here
Either of the above plants of 1 stem	.10	.30	2.00	
Either of the above plants of 2 to 4 stems		.75	5.00	
Either of the above plants of 5 to 6 stems.		1.25	7.00	
Either of the above plants of 7 to 10 stems Either of the above plants of 10 stems up		$\frac{1.50}{2.00}$	10.00 15.00	
Phlox pilosa alba, White Prairie Phlox, open sun, May-June	.15	1.25	10.00	Here
Phlox subulata, white, Pink and Lavender, divisions	.15	1.00	6.00	Nur.
Physostegia virginiana, False Dragon Head, sun-sod, pink, June-Aug Physostegia virginiana alba, White False Dragon Head, sun-sod,	.15	.75	5.00	Here
white, May-June	.15	.80	7.00	Nur.
Polemonium reptans, Greek Vararian, rich shade, blue, May	.15 $.15$.60 .60	$\frac{4.00}{5.00}$	Here Here
Polygonatum biflorum, Solomon's Seal, shade, green-white, May	.15	.65	5.00	Here
Polygonatum commutatum, Giant Solomon's Seal, shade, green-white, May	.20	1.00	8.00	Here
Pyrola elliptica, Shinleaf, dry shade, green-white, May	.15	.75	6.00	Ind.
Ranunculus acris, Common Buttercup, bordered, sun, yellow, May	.10	.60	4.50	H&M
Ranunculus repens, Creeping Buttercup, sun, yellow, May	.10 $.15$.60 .60	$\frac{4.50}{5.00}$	H&M Here
Ruellia pendunculata, Stalked Ruella, open sods, light purple, June-Aug.	.15	.75	6.00	Here

Grows Flower Bloom	ach	10	100	Where Native
Sanguinaria canadensis, Blood root, deep shade, white, April-May	.10	.50	4.00	Here
Saponaria officinalis, Bouncing Bet, anywhere, pink, June-Oct.	.10	.50	4.00	$_{ m Here}$
Sarracenia purpurea, Pitcher Plant, bogs, purple, June	.15	.75	5.50	Mich
Scutellaria galericulata, Scull Cap, wet places, violet-blue, June-Aug	.15	1.00	6.00	\mathbf{Here}
Sedum ternatum, Wild Stone Crop, borders, AugSept.	.10	.60	4.00	Ind.
Senecio aureus, Golden Ragwort, open dry woods, yellow, May-July	.15	.85	6.00	Here
Silene stellata, Stary Campion, shade, white, July	.15	.60	5.00	$_{ m Here}$
Silene virginica, Fire Pink, rich shade, bright red, May-June	.15	1.00	7.50	Ind.
Silphium laciniatum, Compass Plant, sun-sods, yellow, July-Aug	.25	2.00	10.00	$_{ m Here}$
Silphium perfoliatum, Indian Cup, rich, damp soil, yellow, July-Sept	.20	1.50	7.50	$_{ m Here}$
Silphium terebinthaceum, Prairie Dock, sun, yellow, July-Aug.	.25	2.00	10.00	$_{ m Here}$
Sisyrinchium angustifolium, Blue Eyed Grass, sun-sod, blue, May-June	.15	.60	4.00	$_{ m Here}$
Smilacina racemosa, False Solomon's Seal, open woods, white, May-July	.15	.60	4.50	$_{ m Here}$
Smilacina stellata, Star Flowered Solomon's Seal, moist shade, white, June-July			. 00	T., 3
•	.15	.75	5.00	Ind.
Solidago, Golden Rod, assorted, open sun, yellow, Aug. Oct.	.15	.75	5.00	HM&I
Solidago canadensis, Canadian Golden Rod, open sun, AugOct	.20	1.00	6.00	-HM&I
Spiranthes cernua, Lady's Tresses, swamps, white, AugOct	.15	1.00	7.50	Mich.
Stylophorum diphyllum, Yellow Poppy, Calendine, rich open woods, Yellow, Ma. Sept., singles	.20	1.50	10.00	Ind.
Symplocurpus foetidus, Skunk Cabbage, bogs, yellow, Feb. March	.25	2.00	10.00	Here
Tanacetum vulgare. Tansey, anywhere, yellow, June	.15	.60	4.00	Here
Thalictrum polygamum, Tall Meadow Rue, open shade, white, June-July	.15	.60	4.00	Here
Tradescantia bracteata, Dwarf Pink Spiderwort, shade-singles	.15	1.00	4.00	Here
Tradescantia pilosa, Zig Zag Spiderwort, dry, open shade, lilac-blue,	.10	1.00		11010
June-September, Singles	.15	.60	4.00	$_{ m Here}$
Tradescantia virginiana Spiderwort, snn or woods, purplish, May August, Single	.10	.60	3.00	Here
Small clumps	.15	1.00	6.00	Here
Tradescantia virginiana alba, White Spiderwort, anywhere, May-Aug	.20	1.50	12.50	NY
Tradescantia virginiana nina, Dwarf Blue Spierwort, anywhere,				
April-July, Singles	.10	.65	4.50	Here
Small Clumps	.15	1.25	7.50	Here
Trientalis americana, Star Flower, woods, white, May	.15	.75	5.00	Ind.
Trillium grandiflorium, Large White Trillium, shade, May, XX grade	.15	1.00	6.00	Mich.
Firsts Seconds	.10	.75 .40	$\frac{3.50}{1.50}$	Mich. Mich.
Trillium nivale, Dwarf White Trilliums, deep shade, early April	.10	.60	3.50	Here
Trillium recurvatum, Brown Trillium, open shade, May-June	.10	.50	3.00	Here
Typha latifolia, Cat Tails, swamps, yellow, July-Aug.	.15	.75	6.00	Here
Uvularia perfoliata, Bellwort, rich shade, yellow, May-June	.10	.60	5,00	Here
Verbena hastata, Blue Verbane, moist places, purple, July-Sept	.15	.60	5.00	Here
Verbena stricata, Mullen Leaved V., dry pastures, blue, AugSept	.15	.50	4.00	Here
Vernonia altissima, Tall Iron Weed, open-sun, violet, July-Oct.	.20	1.00	5.00	Here
Veronica virginica, Clover's Root, open shade, white, July-Aug	.15	.50	4.00	Here
Viola blanda, White Violet, open shade, May-June	.10	.50	4.00	Ind.
Viola palmata-Palm Leaved Violet, sun-sod, blue, May-June	.10	.60	4.50	Here
Viola papilionacea, Common Blue Violet, open shade, May-June	.10	.40	3.00	$_{ m Here}$
Viola padata, Bird's Foot Violet, sun-sod, blue, May-June, Singles	.10	.50	4.00	Here
Small Clumps	.15	.75	8.00	$_{ m Here}$
Viola pedata bicolor, Two colored Birds Foot Violet, sun, all summer, singles	.15	1.25	10.00	Here
Small Clumps	.25	2.00	18.00	\mathbf{Here}
Viola pubescens, Common Yellow Violet, open-shade, yellow, May	.10	.50	3.00	$_{ m Here}$

FERNS

These may be moved at almost any season but handle best in fall, but well in spring. If moved with tops on, cost of crating will be added.

Botanical name Common name Where it Color of Time of F Grows Flower Bloom	Each	10	100	Where Native
Adiantum pedatum, Maiden Hair, banks or flats, Light sods	.10	.50	2.50	Here
Medium sods	.15	.75	4.00	$_{ m Here}$
Heavy Sods	,20	1.25	8.00	Here
Aspidium acrostichoides, Christmas (Evergreen), open shade	.10	.50	4.00	H.T&I
Aspidium goldianum, Goldies Fern, rich woods	.25	1.50	12.50	I&Mich.
Aspidium marginale, Evergreen Wood Fern, rich shade	.15	.75	6.00M	linn&NY
Aspidium spinulosum, Spinulose Wood Fern, (Evergreen) rich shade	.15	.75	6.00	M&Vt.
Aspidium thelypteris, Marsh Fern	.20	1.00	7.50	$_{ m Here}$
Asplenium angustifolium, Narrow Leaved Spleenwort, shade	.15	1.00	7.00	\mathbf{Here}
Asplenium Felix-femina, Lady Fern, open shade	.15	.75	6.50	$_{ m Here}$
Asplenium thelypteroides, Silvery Spleenwort, rich woods	.15	1.00	7.50	Ind.
Botrychium ternatum, Ternate Grape Fern, rather dense shade, rich				
soil, (8-10 deep)		-1.50		
Camptosorus rhizophyllus, Walking Fern, dry moss covered shades		1.25	10.00	1&M
These are best lifted in the sheet moss, where they grow and so pl				
Cystopteris bulbifera, Bulbet Bladder Fern, moist flats	.10	.60	4.00	Ind .
Cystopteris fragilis, Fragile Bladder Fern, moist flats	.10	.50	3.50	Here
Dicksonia punctilobula, Hay Scented Fern, Single Plants	.10	.50	3.50	Tenn.
Sods about 12x12''		5.00	40.00	Vt.
Dryopteris hexagonoptera, Broad Beech Fern, Shade	.10	.60	5.00	$_{ m Here}$
Onoclea sensibilis, Sensitive Fern, flats	.15	.60	5.00	$_{ m Here}$
Onoclea struthiopteris, Ostrich Fern, good foundation Ferns	.20	1.50	9.00	M&NY
Osmunda cinnamomea, Cinnamon Fern, hillsides, open shade		1.25	9.00	T&NC
Osmunda claytoniana, Interrupted Fern, hillsides, open shade	.25	1.50	10.00	NC
Osmunda regalis, Royal Fern, hillsides, open shade		1.25	8.00	T&NC
Pellaea atropurpurea, Purple Cliff Break, limestone cliffs		1.00	8.00	Ind.
Pteris aquilina, Brake, Eagle Fern, stands lots of sun		1.00	7.00	H.I&M
Woodsia obtusa, Blunt Lobed Woodsia		1.00		Ind.
Mixed lots, taller, all to finish 18 in. and up		1.00	6.50	$_{ m Here}$
Mixed lots of above to suit our convenience	.10	.75	5.00	H.&Ind.

VINES

See our description catalog and Price List for nursery grown vines, etc.

Ea	ach	10	100	Where Native
Ampelopsis engelmanii, Clinging American Ivy, Nursery grown, 3 yr. heavy \$	\$.35	\$3.00		Here
Ampelopsis engelmanii, collected, mixed some with Am. Ivy	.15	1.00	6.00	$_{ m Here}$
Ampelopsis quinquefolia, American Ivy, rooted layers	.10	.50	4.00	$_{ m Here}$
Medium plants	.15	1.25	8.00	Here
Callirhoe involucrata, Low Poppy Mallow, violet-red, May-Nov	.15	1.00	7.50	Here
Celastrus scandons, Bitter Sweet, thickets, red berries	.15	1.00	7.00	$_{ m Here}$
	.20	1.50	10.00	$_{ m Here}$
	.15	1.00	7.00	H.M&I
	.15	.75	5.00	$_{ m Here}$
	.15	.75	5.00	Here
	.15	1.25	9.00	Here
	.10	.60	4.00	Ind.
Caultheria precumbens, Spicy Wintergreen, shade, white, July-Clumps	.20	1.50	7.00	M&NC
	.15	.75	4.00	Here
Ipomoea pandurata, "Man of the Earth", river bottoms, purple,				
May-Sept,	.75	5.00	35.00	Here
Lonicera dioica, Wild Yellow Honeysuckle, yellow, May-June	.20	1.00	7.00	Here
Lycium halimifolium, Matrimony Vine, purple, berries orange red, May-Aug.	.15	.75	6.50	Here
Lysimachia nummularia, Money Wort, Moist places, June-Aug	.10	.60	4.00	Here
Menispermum canadense, Wild Sarsaparilla, thickets, white, May	.15	1.00	6.00	Here
Mitchella repens, Partridge Berry, shade, white, April-June, clumps	.20	1.25	8.00	Here
Nepeta hederacea, Ground Ivy, shade, purple, May-June	.10	.50	3.50	Here

	Each	1 0	100	Where Native
Rhus toxicodendron, Poison Ivy, Poison Sumac, Fence rows & wastes	.15	1.00	6.00	Here
Smilax herbacea, Carrion Flower, moist meadows, border, white,				
black berries		1.00	8.00	$_{ m Here}$
Smilax ratundifolia, Cat Brier, moist thickets, blue berries	.20	1.00	7.50	$_{ m Here}$
Tecoma radicans, Trumpet Creeper, anywhere, orange-scarlet, all summer	.20	1.00	6.00	Here
Vitis, Wild Grape, mixed seedlings, anywhere, yellow, May (Frag.)	.15	.75	5.00	\mathbf{Here}
Vinca minor, Ground Myrtle, anywhere, blue, May-June	.15	.60	3.50	H.M&I
Vincetoxicum gonocarpos, climbing Milkweed, open river bottom,				
pink, JulAug.	.25	2.00	15.00	Here

SHRUBS

We are now required to have all collected Shrubs and Vines with woody tops, inspected, like nursery grown stock. This means that we must either get a large lot stored here, and have an inspector come to look it over, or send less lots to Urbana, Ill., to be inspected, and sent on to customers directly from there. Otherwise the cost would be so great that we would be forced to abandon getting out this line. We state this, that you will not be impatient at the stock's not arriving as promptly as expected. Perennials do not require this inspection, in this state. They DO require it in Mich., but we think we have it arranged to reduce the delay to a minimum. Ind., shrubs must be inspected before leaving that state. It is a NEW TROUBLE, but it will likely get so systemized soon as to cause little delay.

Benzoin aestivale, Spice Bush, red berries, 1 to 2 ft		\$.80	\$7.00	
Ceanothus americanus, New Jersey Tea, white, July, 10 to 20 in. Cl	.15	1.25 1.00	10.00 7.00	H&Ind. Here
Cercis canadensis, Red Bud, red, May, 2 to 3 ft.	.20	1.50	10.00	H&T
Cornus florida, White Flowering Dogwood, white, June-July, 2 to 3 ft	.10	.65	5.00	Tenn.
2 to 3 ft.	.15	1.00	8.00	NY
Cornus paniculata, Brown Dogwood, white; June-July, 2 to 3 ft.	.15	1.00	7.50	Here
Cornus stolonifera, Red Oiser Dogwood, succors, white, May-Aug., 18-36 in.	.15	.65	5.00	Mich.
Corvlus americana, Hazel Nut, succors 2 to 3 ft.	.15	.75	5.00	Here
3 to 4 ft., whole clumps	.25	1.50	12.50	Here
Crataegus, mixed seedlings, white, May, 2 to 3 ft.	.15	1.00	7.00	Here
Diervilla trifida, Wild Weigelia, pale yellow, May-Sept. 6 to 18 in	.15	1.00	6.50	NY.
Evonymus americanus, Waahoo, purple, June, 2 to 3 ft	.15	.75	5.00	Tenn.
Evonymus atropurpureus, Waahoo, purple, June, 2 to 3 ft.	.15	1.00	7.00	Here
Hydrangea arborescens, Wild Hydrangea, white, June-July, succors	.15	.75	5.00	Here
Clumps	.25	1.50	10.00	Here
Malus, coronaria, Wild Crab, pink, May, succors, 2 to 4 ft	.15	.80	7.00	Here
Can do much better crabs in nursery grown grafts.	.10	.00	1.00	nere
Prunus americana, Wild Plum, April-May, white 1 to 2 ft.	.15	1.00	7.50	$_{ m Here}$
Ptelea trifolia, Wafer Ash, 5 to 7 ft. Tr.	.50	4.00	35.00	Here
Rhus copallina, Dwarf, green, Aug. 1 to 2 ft.	.15	.75	5.00	Tenn.
Rhus glabra, Smooth Sumac, anywhere, white, July, 2 to 3 ft.	.15	.50	4.00	Here
Rhus typhina, Staghorn Sumac, anywhere, white, July, 2 to 3 ft	.15	.75	6.00	NY&T
Ribes, Wild Gooseberry, open woods	.15	.75	6.00	Here
Rosa blanda, Smooth Wild Rose, Pink, June-July, anywhere	.10	.75		H&Mich.
Rosa carolina, Swamp Rose, pink, moist shade, June-Aug.	.15	1.00	7.50	Here
Rosa humilis, Dwarf Prairie Rose, pink, June-Sept., sun-sod	.15	1.00	5.00	
Rosa lucida, Thorny Wild Rose, pink, anywhere, June-July	.15	.75	5.00	Here
Rosa nitida, Dwarf Rose, pink, May-July	.15	.75	5.00	Mich.
Rosa setigera, Prairie Climbing Rose, pink, open border, June-July	.20	1.50	8.00	Here
Rubus, Wild Blackberry, sun or open shade	.10	.50		Here
Rubus, Wild Raspberry (black), sun or open shade	.10	.50	$\frac{3.00}{3.00}$	Here
Rubus, Wild Dewberry, open sun	.10	.50		Here
Rubus odoratus, Flowering Raspberry, violet, June-Sept. 1 to 3 ft	.15	.80	4.00	Here
Salix discolor, Pussy Willow, Nursery grown, 2 to 4 ft.	.15	1.75	6.00	NY.
Sambucus canadensis, Black Berried Elder, white, June-July 2-4 ft	.10	.50	12.50	Here
Sassafras variifolium, Sassafras (hard to transplant)	.15	1.00	3.00	Here
Staphylea trifolia, Bladder Nut, yellow, June, 2 to 4 ft	.15	.75	7.50	Here
Symphoricarpos vulgaris, Indian Current, 15 to 30 in	.15	.60	$\frac{5.00}{4.50}$	$_{ m Here}$
Viburnum acerifolium, Maple Leaved Arrow Wood, white May 1 to 3 ft	.15	.75	5.00	Here
Viburnum prunifolium, Black Haw, white, May, 2 to 3 ft.	.15	1.00	6.00	T&NY
Zanthoxylum americanum, Prickly Ash, open shade, vellow red berries	120	1.00	0.00	$_{ m Here}$
May, 2 to 3 ft.	.15	1.00	7.00	$_{ m Here}$